	CFO-ORC FILE # 55-88-23
COLORADO FIELD ORNITHOLOGISTS - SIGHT RECORD FORM	A
NEW STATE RECORD UNUSUAL RECORD X	T ANA BOARD MADE WITH THE
Please print or type. Attach photographs and additional pages if necessary.	
Species: HEPATIC TAWAGER (Vernacular Name)	PIRAWGA FLAVA (Scientific Name)
Date(s): Mowbay MAY 20 K 1988	(Scientific Name)
Number of birds seen: Sex:	
	Elevation: 6000'?
Nearest town: KIM	County: LAS ANIMAS
Time(s) observed: 8:45 - 9:30 AM	
Duration of observation (e.g. 1 sec., 5 min., etc.): 10-15 MINUTES	
Other observers who saw the bird with you (give names, addresses, telephone numbers):	
33 OTHERS ON GEO TRIP	
Other observers who saw the bird independently (give names, addresses, telephone numbers)	
Light conditions (position of bird to light and shade, direction and strength of light):	
GOVO LIGHT, SUNSHINE	
Optical equipment used (e.g. power, types): 10x40 BINOCULARS 20x TELESCOPE	
Distance, and how measured: 50 YARDS ESTIMATED	
If photographed, type of equipment and film:	
Who else photographed the bird?	
Describe the bird's behavior (e.g. flying, feeding, or habits used in identifying):	
FEEDING IN PINYON AND JUNIPER TREES ON FAR	SIDE OF LAWYON.
ALSO FLYING DOWN CANYON AND LANDING IN LARGE	
Describe in detail the bird's relative size, overall shape, plumage and color pattern. Include details of bill, wing and tail shape. Give particular emphasis to marks you used to identify the bird. Reference to its resemblance to field guide descriptions and il- lustrations is not enough. Describe only what you actually observe in the field:	
THIS PAR OF MEDULM SIZED BIRDS WERE OBSERVED	ON THE PAR SIDE OF A
DEEP CANYON. ONE WAS NOSTLY RED, AND THE O	THER MOSTLY OLIVE - YELLOW.
THE WINGS OF THE FEAMALE WERE QUITE DARK	AND HAD NO WING BARS.

Description (continued):

THE MALE WAS A DEEP BRICK RED (NOT A BRICHT RED) WITH SCICHTLY DARKER, BUT STILL RED, WINGS AND TALL. WITH BINOCULARS JUST, AND LATED WITH A

TELESCOPE, A DARK FACE PATCH WAS CLEARLY SEEN ON THE MALE. THE

BILL WAS MEDIUM SIZED AND DARK. THE EYES OF BOTH BIRDS WERE DARK.

THESE BIRDS WERE SEEN IN THE SAME CANYON ON MEJA DE MAYA WHERE

HEPATIC TANAGERS HAVE BEEN SEEN SINCE ABOUT 1980.

Describe the bird's song and call, if given, including method of delivery, (i.e. from perch, in flight, duration):

SONG GIVEN IN RESPONSE TO TAPED CALLS OF HEPATIC TAWAGER. SONG IS DIFFERENT THAN WESTERN TAWAGER, BUT I WOULD NOT BE ABLE TO ELIMINATE EITHER SCARLET OR SUMMER TAWAGER BY SONG.

Describe the general and specific habitat in which you observed the bird:

DEEP CANYON IN META DE MAYA WITH LARGE PINE TREES AND MANY JUNIPER TREES. ALSO SERUB OAK IN BOTTOM OF CANYON. How did you eliminate similarly appearing species?

SUMMER TAWAGER - BRICK RED , NOT BRIGHT RED, MALE WITH DISTINCT EAR PATCH.

SCARLET TAWARER - RED WINGS AND TALL IN MALE

WESTERN TANAGER - MOSTLY RED BODY IN MALE. What is your prior experience with this and similarly appearing species?

HAVE SEEN HEPMILC TAWAGER MANY TIMES IN ARIZONA AND CENTRAL AMERICA

HAVE SEEN SUMMER DAWAGER AND SUARLET TAWAGER MANY TIMES IN THE US.

EXTREMELY PAMILIAR WITH WESTERN TAWARER

List books, illustrations, recordings, other birders, etc. consulted and how this influenced your identification:

a) at time of observation: NATIONAL GEOGRAPHIC FIELD GULDE

b) after observation: