File No. 56-74-36 accepted gR 4/35/74

DOCUMENTATION OF UNUSUAL RECORD

SPECIES: Painted Bunting

1 bird

Location: Two Buttes Reservoir, Baca County, Colorado

Date: May 10, 1974. 8:00 a.m.

Description: (from notes made in field):

Bunting sized bird (compared with Lazuli bunting with which it was feeding) with bunting bill. It had a leaf green tail and back; gray or maybe blue on back of head; yellow under the tail, yellow belly and breast. No wing bard.

the Lazuli Bunting with which it fed was in some sort of immature male plumgge, and we speculated that this bird was likewise an immature male Painted Bunting.

Voice not heard.

Birds fed leisurely in the shrubs, moving slowly from bush to bush. They were picking food (insects? seeds?) from the end of the branches of the sbushes..

Habitat: chokecherry and ? (--small tree) habitat, creek bottom below the reservoir. Very thick, viney, shrubby habitat.

Seen at about 20-30 feet with 7x35 binocs, good overhead light.

Similar species: nothing else has this greenish cast to it. We compared with a Lazuli, which has wing bars; the Varied is brownish, as is the Indigo. No other finch comes close to (a) this color, and

(b) this size.

And the beak makes it a fringillid.

Previous experience with this birds was in Texas, as well as a previous Colorado record in within 300 yards of the location of this bird.

Birds of N. Am. consulted during identification.

egh Kinging

869 Milwaukee St, D nver 80206

Prepared from notes in field 5/13/74

	COLORADO FIELD ORNITHOLOGISTS File No. 56-74-36
	VERIFYING DOCUMENTATION OF AN EXTRAORDINARY SIGHT RECORD
1.	Species: Painted Bunking Passerina Ciris 2. Number:
3.	
4.	Date(s): 10 Moy 1974 5. Time bird seen: 0815 to 0820
05.	Description of size, shape and color-pattern (<u>Describe in great detail all parts</u> of the plumage, and beak and feet coloration, in addition, to the diagnostic characteristics, but include only what <u>actually was seen in the field</u>):
	Concel horn-colored bill - was called bunting almost immediately. Bright
\bigcirc	green back, in some positions a bluish collar was detectable on hind neck.
	yellow underparts all the way to tail. Lightor, almost grey, on chost and at bend of wing
7.	Description of voice, if heard:
8.	
9.	Habitatgeneral: - voidout Willside specific: - chokectony + other traes + shrubs
10.	Similarly appearing species which are eliminated 6, 7 and 8, <u>explain</u> : Was in company with hazulic or hazuli - Indiso hybrid. No other bunking has given back + no other bird has bluigh hind-collar. Was probably male acquiring abult plumage.
13.	
14.	Ally closer , Jun to back Previous experience with this species and similarly appearing species:
15.	
16.	
17.	Other observers who independently identified this bird:
18.	Books, illustrations and advice consulted, and how did these influence this description:
	Hotos taken in Sield
Sig	Pare R. Juliin Address: 1269 chinock Way
Dat	city, State: Boula Colo
Use the reverse, or additional pages, if necessary.	

COLORADO FIELD ORNITHOLOGISTS accepted 92 6/30/74 File No. 56-74-36 VERIFYING DOCUMENTATION OF AN UNUSUAL RECORD 1. Species: Painted Bunting Passering Ciris 2. Number: (Vernacular Name) (Scientific Name) 3. Location: 1 miles east of Two Buttes Reservoir, Baca County 4. Date(s): May 10, 1974 5. Time bird seen: 8:10 8:20 to 6. Description of size, shape and color-pattern. (Describe in great detail all parts of the plumage including beak and feet coloration in addition to the diagnostic characteristics; however, include only what actually was seen in the field): size about psual to that of a Lazuli Bunting with it. The beak was a typical bunting beak In size and was grayist-black in color. The back and tail were bright green with a light blue wash on the nape. It had no wingbars. The underpaits were all bright yellow except for the threaton which a buash of grayish covered the yellow 7. Description of voice, if heard: wowe 8. Description of behavior: it remained lover in the chokk cherry often coming into view however. 9: Habitat- General: deciduous woods Specific: chokecherry hillside 10: Similarly appearing species which are eliminated 6,7 and 8 above; Explain: There are no North American species that appear as green and lack wing bars. 11. Distance (how measured?) 10-20 feet estimated 12. Optical Equipment: 7x 35 Tasco binoculars 13. Light (sky, light on bird, position of sun in relation to bird and observer): skyclear lighta bir sun, observer and bird formed about a 135° angle with the observer at the vortey. 14. Previous experience with this species and similarly appearing species: None, have only observed the male of the species providesly. 15. What made you think this species was unusual or rare? Previous reading of Birds of Colorad 16. Other observers: Paul Julian, Hush Kingery, Dave Melurgo, Urling Cannon 17. Did others agree with your identification? y_{es} 18. Other observers who independently identified this bird: 19. Books, illustrations and advice consulted and how did these influence your documenta-tion: Birds of North America, Robbins, et. al. . It did not affect the indentification but was used only for confirmation 20. If bird was photographed, please attach pictures and describe equipment used: Box 274-M Street Address: K+ Signature Date Prepared: 5/16/74 City and State: _ CJevereen, 0/orado Perepared from notes made during (USE THE REVERSE SIDE, OR ADDITIONAL PAGES, IF NECESSARY) he observation