APPENDIX II

19-82-12

DOCUMENTATION OF RARE BIRD SIGHTINGS FOR THE COLORADO FIELD ORNITHOLOGISTS' RECORDS

A

CONTRACTOR OF	TIED OIGHTINGEOGRAS RECORDS
	Species: Andriag Andriay; Limita his master ; Limita his master ; (Scientific name)
	If you watch birds solely for your own enjoyment, a written description of your observations is unnecessary. But, if you have seen something unusual, and would like to share this with others, a written description is essential. Compilers of regional bird lists must insist that their records be scientifically sound; future bird students those studying occurrences 50 years from now must have a written record on which to depend. By providing the verifying written description, you are employing a basic rule of the scientific method.
	We recognize that experienced field observers can provide important and reliable records, if supported by an adequate verifying description. Thus this request is an effort to perpetuate your record by obtaining concrete evidence which may be permanently preserved for examination by others in the future. This procedure is required for every extraordinary observation, irrespective of the observer.
	Dates (s): 5/1/32 Time Bird Seen: 900 to 1000 Locality: Late Metalith Locality: Late Metalith Nearest town, county and state: Optical equipment: 14x20 Microta Language 24, 32, 4 15-45 PANNING SINKS If photographed, please enclose copy. Equipment used: 1/4
	Number of birds seen: Sex: Plumage: Jumment Light conditions: Methost - Low, this Month Distance from bird, and how measured: April 125 th - 23timated Describe the bird's overall behavior: Standing in Shallow water along ARE Methoth. Leeding by protong wedenwater. Access mally would post Listance (50-1004) along another part of the shore. Describe the habitat in which you observed the bird: Sec. Atorious amsunt.
	Other observers who independently identified this bird (Please list name and address): HUL CERRER (1st to got it address inknown) Richard Gum - 2727 MPN CSCONS, BLL A 3040 MAYCARA

APPENDIX II Continued

Describe in great detail the bird which you saw. Emphasize particularly the field marks used to identify the bird, but include a complete description of the bird. Include size, overall shape, plumage and color pattern; details
on shape or size of bill, wings, and tail. (Reference to its resemblance to
field guide descriptions is not enough). Describe what you actually saw in
the field.
Rather Lig. shorebird - approx 12" tall. Long Lege, meck & bill; bell ap
LENTER STAPPLE MARIET TOPIE ENE TIMO & LINE MANIGE CIE, with dance
cap. thederpoints (meck of belly) connamns - sed, with fine black barring
Cap. El Bank willed I when I don't sail when
on belly back - modified brown. Unable to tell much about tail when.
Jecaling, but in flight saw distinct black toil with broad white strate
near fast with a calls or sounds, if heard; including method of delivery-
i.e., from perch, in flight, etc.: NA Barting seen underneart
tail Detect bent over feeding)
Diner Della Vice Security
List similar species and how you eliminated them:
Hartited growing & Long-In Lied downthings - many of cack feeding
Ima Note to my war warched the ardust bestween I marked goding
long store, At me point, watched H. goduit between I marked goduit
1 1 U 1 I I I I I I I I I I I I I I I I
lunger than " bill longer of currica lifetime (2) the bother than me,
Martifed godurits of Long-billed down rehers seek on many
occasions. Linest sighthera of there orning; andwit
This report was written from notes made duringafterobservation;
from memory
Name (print): RASO MUATTS & JAMES & WATTS
Mailing address: 10 10 36 4 ST 100 3463 1010 80904
Signature: Fish 41/4/1/4
Signature: y RSC 11/21/11/5

Return Form To:

CFO Records Committee c/o Curator - Dept. of Zoological Collections Denver Museum of Natural History City Park Denver, CO 80205

A

HUDSONIAN GODWIT UNUSUAL RECORD

LIMOSA HAEMASTICA

DATE IMAY 1982

NUMBER OF BIRDS SEEN: I BREEDING PLUMAGE LOCALITY: LAKE MERIDITH, CROWLEY COUNTY

LATILONG 20 (LAS ANIMAS)

NEAREST TOWN : ORDWAY

TIME OBSERVED : 8 AM - 10 AM

DURATION OF OBSERVATION: 2 HOURS

OTHER OBSERVERS:

TOM LARCHER

JIM & ROSIE WATTS

ANN GERBER

LIGHT CONDITIONS: FOG FOR AWHILE WITH INTERMITIENT BRIGHT INDIRECT SUNLIGHT.

OPTICAL EQUIPMENT: 32X50 BUSHNELL TELESCOPE.

DISTANCE: 75-150 FEET (22-46 METERS)

BEHAVICR: OBSERVED FEEDING IN SHALLOW WATER WITH OTHER WADERS (MARBLED GODIT, LBDOWITCHER, WILLET, BNSTILT) OBSERVED FLYING ALONG SHORELINE A FEWFEET ABOVE SURFACE SEVERAL TIMES.

DESCRIPTION:

RELATIVE SIZE AND SHAPE: A MEDIUM SIZED WADER WITH LONG LEGS AND BILL. THIS BIRD WAS SMALLER THAN A MARBLED CODIT, SHORTER-LEGGED THAN A BNSTILT AND LARGER THAN A LONG BILLED DOWNTCHER. IT WAS OBSERVED

(

(6

VERY NEAR EACH OF THESE SPECIES.

COLOR PATTERN: OVERALL COLOR PATTERN WHEN NOT FLYING WAS RUFOUS VENTRALLY AND MOTILED GRAY AND WHITE DORSALLY. IF FLIGHT A BOLD BLACK AND WHITE THIL PATTERN AND A FAIRLY BROAD WHITE WING STRIPE WERE CBSELABLE. THE TERMINAL 2/3 OF THE TAIL PATTERN BEING BLACK AND THE BASAL Y3 WHITE. THE WHITE WING STRIPE WAS PROMINENT ABOVE THE SEONOARIES AND LESS SO ABOVE THE PRIMARIES.

THE SIDES AND FLANKS WERE EXTENSIVELY BLACK-BARRED. THE UNDITERTAIL COVERTS ALSO APPEARED TO BE BARRED.

THE HEAD WAS DARKEST ON CROWN WHICH WAS
BROWN AND FINELY BESTREAKED WITH BLACK, A WHITISH
LINE WAS OVER THE EYE. THERE WELE NO
PROMINENT HEAD MARISINES. THE BILL WAS
LONG, SLENDER AND SOMEWHAT UPTURNED. THE
CULMEN AND MOST OF BOTH MANDIBLES WELE
DARK, THE COLDE NOT DISCERNIBLE. THE BASAL
YS OF BOTH MANDIBLES WERE FLESH COLDED. THE
CONTRASTING COLDES OF THE BILL SEEMED TO BE
LESS THAN THAT OF THE MARRLED GOOWIT.

THE LEG LENGTH WAS SHORTER THAN THAT OF THE MARBLEO GOOWIT, WHILE FEEDING IN SHALLOW WATER THE HUDSONIAN GOOWIT'S BELLY WAS OBSERVED TO BE AT THE WATER'S SURFACE. FEEDING NEXT TO THE HUDSONIAN

THE MARBLED GODINIT WAS STANDING

WELL OUT OF THE WATER, IT'S ANKLE

(OR TARSALS) WAS AT THE SURFACE.

I WATCHED THE TWO BIRDS FOR A WHILE

TO BE SURE THAT THE HUDSONIAN WAS NOT

STANDING IN A HOLE.

LES COLOR WAS GRAY.

HABITAT: LARGE REERVOIR WITH EXTENSIVE MUD AND SAND SHOPE. OUTSIDE THE IMMEDIATE PERI METER OF THE LAKE WAS SHOPT GRASS PRAIRIE.

SIMILARLY APPEARING SPECIES WERE ELIMINATED BY THE TAIL PATTERN AS DESCRIBED IN THIS REPORT.

NO PRIOR EXPERIENCE WITH THIS SPECIES.

THIS REPORT WAS WRITTEN FROM NOTES MADE DURING-

DATE REPORT WRITTEN: MAY 25, 1982

REPORTING OBSERVER
RICHARD BUNN
2727 MAIN
COLORADO SPRINGS, CO. 80907

Richard Burn