APPENDIX II

DOCUMENTATION OF RARE BIRD SIGHTINGS FOR THE COLORADO FIELD ORNITHOLOGISTS' RECORDS

Species: Black-leaged Kittiwake; Rissa tridactula (Vernacular name) (Scientific name)
If you watch birds solely for your own enjoyment, a written description of your observations is unnecessary. But, if you have seen something unusual, and would like to share this with others, a written description is essential. Compilers of regional bird lists must insist that their records be scientifically sound; future bird students those studying occurrences 50 years from now must have a written record on which to depend. By providing the verifying written description, you are employing a basic rule of the scientific method.
We recognize that experienced field observers can provide important and reliable records, if supported by an adequate verifying description. Thus this request is an effort to perpetuate your record by obtaining concrete evidence which may be permanently preserved for examination by others in the future. This procedure is required for every extraordinary observation, irrespective of the observer.
Dates (s): 1/13/86 - 1/22/86 Time Bird Seen: morning & affic muons
Locality: Puckly Reserver State Respection Ansie
Nearest town, county and state:
Optical equipment: Bushould Space musto I W/ 20-45 x 24 piece
If photographed, please enclose copy. Equipment used:
Number of birds seen: / Sex: Plumage: Ist White-
Light conditions: Foli Through very good
Distance from bird, and how measured: A just recognize by binecalis 91
Describe the bird's overall behavior: Most days of observation, the gull could be seen to join wil Bonapate's (as many is 13' and Ring billed Gulls (>200) feering on the surface of Freel Raymon mean the dam awa. The kithing coould occamentally done Peloes the surface of the water Describe the habitat in which you observed the bird:
Flying above and sitting on Pueble Reservoit
Other observers who independently identified this bird (Please list name and address): Laurens Halsey - Bouldey
Wade Leitner - Danier
Take The sel this hind as second different consone + 5 of people (David Blue,

23-86-32

APPENDIX 11 Continued

Describe in great detail the bird which you saw. Emphasize particularly the field marks used to identify the bird, but include a complete description of the bird. Include size, overall shape, plumage and color pattern; details on shape or size of bill, wings, and tail. (Reference to its resemblance to field guide descriptions is not enough). Describe what you actually saw in The key field marks used to I.D. this gull were: all black bird dark ear coverts, durk nuchal collar "Mo" w" pattern on wings of the black terminal band on tail. Size = a little smaller than Ringbilled Guls, notice ably larger than Boragaste's, Bill = all black , Heads eye dack Writes black leading adject course than trailing edge of wings of darker than tail frace, I distribute had

Writes black leading adject carpel bears friming the "M" or w", trail edge except orthe 4 greeness light gray friming light gray wedges. Tail - same color as trailing edge but w/ black leaden distal and - noticeably worn. did not show Describe the bird's calls or sounds, if heard; including method of delivery - Sound look i.e., from perch, in flight, etc.: but squared off did not hear List similar species and how you eliminated them: Salus stull just - has brown not gray with these crown a nape same alor as back; is food muchal coller of dark the aross secondars mothers color of back to winder than B. I Kitt in the dark lar coverts tail band as early wider, black leading edge of primaries wader & melide. 5-6 primaries faster tern-like flight - has light not dark leading edge on grimaries, lasher, Just Ballycal Kithwale - lasher muntle, con who with secondary coverts, lacks the terminal land on tail which I prior experience with this and similar species. Prior experience with this and similar species:

I've seen this bird frequently in thesta + once before in Colora de (photo + expert sont to Records)

Thave seen it in 1st water glumge + as an adult & also in 1st summer glumge.

Committee) I've abe seen Red logged Kithwate, In Saline's Cull, Just Bountater Julle This report was written from notes made during ____after ___observation; from memory

Name (print): William R Ticynaud

Mailing address: 372 Blue Windson Ln. Colo Spis 80906

Signature: William F Maynes

Return Form To:

CFO Records Committee c/o Curator--Zoological Collections Denver Museum of Natural History City Park Denver, CO 80205

	-UNC FILE # 23 - 86 - 8732
COLORADO FIELD ORNITHÒLOGISTS - SIGHT RECORD FORM	A Same as 23-86-5
NEW STATE RECORD UNUSUAL RECORD X	
Please print or type. Attach photographs and additional p	ages if necessary.
Species: Black-legged Kittiwake Pisson (Vernacular Name)	1 tridactyla
Date(s): January 16,1986	(Scientific Name)
Number of birds seen: one Sex: undeterm	uned Plumage: First winter
Locality: Pueblo Reservoir	Elevation: 6600 (?)
Mearest town: Pueblo, Colorado	County: Pueblo
Time(s) observed: 11:30 AM to 2:30 PM (off For)
Duration of observation (e.g. 1 sec., 5 min., etc.): + b+	el 2 hours
Other observers who saw the bird with you (give names, add Wade Leitner Bill Nayrard	resses, telephone numbers):
Other observers who saw the bird independently (give names way(?)	, addresses, telephone numbers)
ight conditions (position of bird to light and shade, dir good, full Filtered full to filtered sun, at backs	ection and strength of light): or to left side of observers
optical equipment used (e.g. power, types): 7×50 Binocs	20x, 30x Spotting Scope
distance, and how measured: ~200 meters; estimated	\$ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
if photographed, type of equipment and film: N/A	
Tho else photographed the bird? N/A	
Describe the bird's behavior (e.g. flying, feeding, or habiting hat very similar to Bonaparti Gull, more diving, see Completely undersurface very bouvant on surface and	leral times went

Describe in detail the bird's relative size, overall shape, plumage and color pattern. Include details of bill, wing and tail shape. Give particular emphasis to marks you used to identify the bird. Reference to its resemblance to field guide descriptions and illustrations is not enough. Describe only what you actually observe in the field:

Shape: Small gull, long pointed wings (compared to Sabine's Gull), not as narrow as the Bonaparti Gull. Tail slightly wedge Shaped (worn feathers).

Plumage: Predominate black "W" visible on upperwings, four outer primaries black; rest of primaries and tips of secondaries white, forming a white wedge appearance; rest of upperwing gray; black terminal band on tail, tail feathers ragged and looked worn, rest of tail white as was uppertail coverts and

heavier in flight than Bonaparts.

Description (continued):

flaking, black earspot present; rest of body white.

flesh Parts: Legs black.

Describe the bird's song and call, if given, including method of delivery, (i.e. from perch, in flight, duration): N/A

Describe the general and specific habitat in which you observed the bird:

How did you eliminate similarly appearing species?

Combination of dark nape and wing pattern eliminate all species of golls.

What is your prior experience with this and similarly appearing species? Seen Back-legged kittiwakes in similar plumage on several occations

List books, illustrations, recordings, other birders, etc. consulted and how this in-

- a) at time of observation: Wade Leitner
- b) after observation: none

Address: 2305 Village Cr# 213 Bed Ford, TX 76022

All reports will be maintained permanently at the address below:

CURATOR, DEPARTMENT OF ZOOLOGICAL COLLECTIONS

DENVER MUSEUM OF NATURAL HISTORY

CITY PARK

DEHVER, CO 80205

		CFO-ORC FILE # 23-86-5	
	COLORADO FIELD ORNITHOLOGISTS - SIGHT RECORD FORM	A	
	NEW STATE RECORD UNUSUAL RECORD		
	Please print or type. Attach photographs and addition	nal pages if necessary.	
	Species: Black-legged Kittiwake (Vernacular Name)	Cissa tridactyla (Scientific Name)	
	(Vernacular Name)	(Scientific Name)	
	Date(s): February 2, 1986	1112	
	Number of birds seen: 1 Sex:	Plumage: 1st Winter	
	Locality: Pueblo Reservoir (Lut Long area		
	Nearest town: Pueblo	County: Pueblo	
Time(s) observed: 10:30 A.M. ¢ 12:00 P.M.			
Duration of observation (e.g. 1 sec., 5 min., etc.): 15 minutes and 10 minutes			
Other observers who saw the bird with you (give names, addresses, telephone numbers):			
	a a contract of the contract o		
Other observers who saw the bird independently (give names, addresses, telephone numbers)			
Light conditions (position of bird to light and shade, direction and strength of light): observed from east at 10:30, No at noon clear and owny backlit.			
Optical equipment used (e.g. power, types): Bushnell Senting II 20x50 scope & 8x20 s. Colons			
Distance, and how measured: 1/4 - 3/4 mile - estimated			
If photographed, type of equipment and film:			
	Who else photographed the bird?		
Describe the bird's behavior (e.g. flying, feeding, or habits used in identifying): seen swimming in water, biging and beeding. When diving to beed, the Kittiwale birst poils up			
than diver - pattern similar to this: I not a straight pringe into the water. Bird surmenjes completely into water in dive than emergent with wings partially unfolded.			
(ic)	sted in water with other gills.		
Kali	Describe in detail the bird's relative size, overall Include details of bill, wing and tail shape. Give p to identify the bird. Reference to its resemblance t lustrations is not enough. Describe only what you acknowled gull shaped. Smaller than Rong-Silled Culls when in wa	articular emphasis to marks you used o field guide descriptions and iltually observe in the field:	
Head is white with black spot behind eye. There is a black bour on opper buck that extends			
to edge of Ireast, When sitting on water, there is a dark to horizontal barr on bilded wings mantle is grey. In blight primaries and secondary coverts are dark on upper per wings. Upper vings for forming a shallow M on upper wings. Behind M, beathers are white.			
Til del middle.			
Tail white with black bor at end - tail bor is broken in the middle.			

23-86-5 Description (continued):

Describe the bird's song and call, if given, including method of delivery, (i.e. from perch, in flight, duration):

Describe the general and specific habitat in which you observed the bird: Open water in veservoir. Mostly in deeper water.

How did you eliminate similarly appearing species? Dark collar and wing pattern white head with spot behind eye. But on boldedwing eliminate any other immediate gill ie. Sabines, Bonapartes, Little auls.

What is your prior experience with this and similarly appearing species?
Prior experience with adult Black-legged Kittiwales on Alaska ber beeding habits.
Familian with Bonapartes aul

List books, illustrations, recordings, other birders, etc. consulted and how this influenced your identification:

a) at time of observation: National Geographic - Field avide to Binds of North America used to be over I had seen all necessary bield marks.

b) after observation: Audubon Society Moster Quide to Birding Shells Quide to Birds of Britain and Freland. To make sure any similar species could be counted out.

Address: 809 Mercury Circle, Littleton, Co 80124 (303) 790-4097

All reports will be maintained permanently at the address below:

CURATOR, DEPARTMENT OF ZOOLOGICAL COLLECTIONS

DENVER MUSEUM OF NATURAL HISTORY

CITY PARK

DENVER, CO 80205